

How to think about pain with the whole person in mind

Timothy H. Wideman et Peter Stilwell

Volume 9, numéro 1, 2022

Congress October 2021

URI : <https://id.erudit.org/iderudit/1085657ar>

DOI : <https://doi.org/10.26443/ijwpc.v9i1.335>

[Aller au sommaire du numéro](#)

Éditeur(s)

McGill University Library

ISSN

2291-918X (numérique)

[Découvrir la revue](#)

Citer ce document

Wideman, T. & Stilwell, P. (2022). How to think about pain with the whole person in mind. *The International Journal of Whole Person Care*, 9(1), 38–39. <https://doi.org/10.26443/ijwpc.v9i1.335>

© Timothy H. Wideman et Peter Stilwell, 2022



Cet document est protégé par la loi sur le droit d'auteur. L'utilisation des services d'Érudit (y compris la reproduction) est assujettie à sa politique d'utilisation que vous pouvez consulter en ligne.

<https://apropos.erudit.org/fr/usagers/politique-dutilisation/>

érudit

Cet article est diffusé et préservé par Érudit.

Érudit est un consortium interuniversitaire sans but lucratif composé de l'Université de Montréal, l'Université Laval et l'Université du Québec à Montréal. Il a pour mission la promotion et la valorisation de la recherche.

<https://www.erudit.org/fr/>

HOW TO THINK ABOUT PAIN WITH THE WHOLE PERSON IN MIND

Timothy H. Wideman^{1*}, Peter Stilwell¹

1* Corresponding author: School of Physical & Occupational Therapy, Faculty of Medicine and Health Sciences, McGill University, Montreal, Quebec, Canada
timothyhoward.wideman@mcgill.ca

Keywords: Pain management, Compassion

Too often, pain is reduced to a simple symptom of illness or injury – a puzzle piece to fit into the differential diagnostic jigsaw. Pain reports that fit the emerging pathoanatomical picture are validated and treated accordingly. But many reports don't fit this picture, and the widespread stigma associated with persistent pain is most commonly directed toward these individuals, whose symptoms aren't well explained by known pain mechanisms. A root problem is not seeing the person in pain or the suffering they experience.

This presentation aims to help participants develop a more comprehensive perspective on pain that better integrates its complexities within clinical practice. Participants will be introduced to the Multi-modal Assessment model of Pain (MAP; Wideman et al, Clinical Journal of Pain 2019; 35(3):212). MAP offers a novel framework to understand the fundamentally subjective natures of pain and suffering and how they can be best addressed within clinical practice. MAP aims to help clinicians view pain, first and foremost, as an experience (like sadness), which may or may not correspond to specific pathology or diagnostic criteria (like clinical depression). MAP aims to facilitate a more compassionate approach to pain management by providing a rationale for why all reported pain should be validated, even when poorly understood. Viewing pain in this manner helps highlight the central importance of listening to patients' narrative reports, trying to

understand the meaning and context for their experiences of pain and using this understanding to help alleviate suffering. ■